

Experience a safer
and more open world

Rockwood TBF156 - 90° Offset Tubular Door Pulls



Specifications:

MATERIAL:

Brass, Bronze, Stainless Steel

FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

ORDERING:

Recommended for ADA openings

OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (TBF156BTB16)
- Concealed mounting single pulls — use C suffix and mounting type number (TBF156C17)
- Advise if door thickness is other than 1 3/4"

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32D/630
- US32/629
- US32DMS

MATERIAL SIZE:

1" dia.

CTC:

8"

OVERALL:

9"

BASE:

1"

PROJECTION:

3 1/2"

CLEARANCE:

2 1/2"

OFFSET:

4"


WEIGHT:

1.3 lbs.

ANSI A156.6: J402

Experience a safer
and more open world

Rockwood TBF157A - 90° Offset Tubular Door Pulls



Specifications:

MATERIAL:

Brass, Bronze, Stainless Steel

FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

ORDERING:

Recommended for ADA openings

OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (TBF157ABTB16)
- Concealed mounting single pulls — use C suffix and mounting type number (TBF157AC17)
- Advise if door thickness is other than 1 3/4"

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32D/630
- US32/629
- US32DMS

MATERIAL SIZE:

1" dia.

CTC:

9"

OVERALL:

10"

BASE:

1"

PROJECTION:

3 1/2"

CLEARANCE:

2 1/2"

OFFSET:

4"


WEIGHT:

1.4 lbs.

ANSI A156.6: J402

Experience a safer
and more open world

Rockwood TBF157 - 90° Offset Tubular Door Pulls



Specifications:

MATERIAL:

Brass, Bronze, Stainless Steel

FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

ORDERING:

Recommended for ADA openings

OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (TBF157BTB16)
- Concealed mounting single pulls — use C suffix and mounting type number (TBF157C17)
- Advise if door thickness is other than 1 3/4"

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32D/630
- US32/629
- US32DMS

MATERIAL SIZE:

1" dia.

CTC:

10"

OVERALL:

11"

BASE:

1"

PROJECTION:

3 1/2"

CLEARANCE:

2 1/2"

OFFSET:

4"


WEIGHT:

1.4 lbs.

ANSI A156.6: J402

Experience a safer
and more open world

Rockwood TBF158 - 90° Offset Tubular Door Pulls



Specifications:

MATERIAL:

Brass, Bronze, Stainless Steel

FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

ORDERING:

Recommended for ADA openings

OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (TBF158BTB16)
- Concealed mounting single pulls — use C suffix and mounting type number (TBF158C17)
- Advise if door thickness is other than 1 3/4"

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32D/630
- US32/629
- US32DMS

MATERIAL SIZE:

1" dia.

CTC:

12"

OVERALL:

13"

BASE:

1"

PROJECTION:

3 1/2"

CLEARANCE:

2 1/2"

OFFSET:

4"


WEIGHT:

1.5 lbs.

ANSI A156.6: J402

Experience a safer
and more open world

Rockwood TBF159 - 90° Offset Tubular Door Pulls



Specifications:

MATERIAL:

Brass, Bronze, Stainless Steel

FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

ORDERING:

Recommended for ADA openings

OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (TBF159BTB16)
- Concealed mounting single pulls — use C suffix and mounting type number (TBF159C17)
- Advise if door thickness is other than 1 3/4"

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32D/630
- US32/629
- US32DMS

MATERIAL SIZE:

1" dia.

CTC:

18"

OVERALL:

19"

BASE:

1"

PROJECTION:

3 1/2"

CLEARANCE:

2 1/2"

OFFSET:

4"

WEIGHT:

1.5 lbs.

ANSI A156.6: J402