

Experience a safer
and more open world

Rockwood 105 x 70B - 3 1/2" x 15" Pull Plate



Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

PULL:
Ø 3/4"

SIZE:
3 1/2" x 15"

CTC:
5 1/2"

PLATE:
70

WEIGHT:
2.1 lbs.

ANSI A156.6:
J405

Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws; 1/4"-20 x 2 1/4" Thru Bolt & Finish Washer (standard 1 3/4" door)

OPTIONS:

- Barrier Free available in 2 1/2" clearance — use BF prefix when ordering (BF105 x 70B)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed under Mounting Details at www.rockwoodmfg.com

Architectural Door Accessories

ASSA ABLOY
Opening Solutions

Experience a safer
and more open world

Rockwood 105 x 70C - 4" x 16" Pull Plate



Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

PULL:
Ø 3/4"

SIZE:
4" x 16"

CTC:
5 1/2"

PLATE:
70

WEIGHT:
2.2 lbs.

ANSI A156.6:
J405

Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws; 1/4"-20 x 2 1/4" Thru Bolt & Finish Washer (standard 1 3/4" door)

OPTIONS:

- Barrier Free available in 2 1/2" clearance — use BF prefix when ordering (BF105 x 70C)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed under Mounting Details at www.rockwoodmfg.com

ASSA ABLOY Opening Solutions
Architectural Accessories Group
Rockwood, PA
Phone: (800) 458-2424 • Fax: (800) 922-9212
www.assaabloydooraccessories.us

Copyright © 2019, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Experience a safer
and more open world

Rockwood 106 x 70B - 3 1/2" x 15" Pull Plate



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws; 1/4"-20 x 2 1/4" Thru Bolt & Finish Washer (standard 1 3/4" door)

OPTIONS:

- Barrier Free available in 2 1/2" clearance — use BF prefix when ordering (BF106 x 70B)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed under Mounting Details at www.rockwoodmfg.com

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

PULL:
Ø 3/4"

SIZE:
3 1/2" x 15"

CTC:
6"

PLATE:
70

WEIGHT:
2.2 lbs.

ANSI A156.6:
J405

Experience a safer
and more open world

Rockwood 106 x 70C - 4" x 16" Pull Plate



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws; 1/4"-20 x 2 1/4" Thru Bolt & Finish Washer (standard 1 3/4" door)

OPTIONS:

- Barrier Free available in 2 1/2" clearance — use BF prefix when ordering (BF106 x 70C)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed under Mounting Details at www.rockwoodmfg.com

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

PULL:
Ø 3/4"

SIZE:
4" x 16"

CTC:
6"

PLATE:
70

WEIGHT:
2.3 lbs.

ANSI A156.6:
J405

Experience a safer
and more open world

Rockwood 107 x 70B - 3 1/2" x 15" Pull Plate



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws; 1/4"-20 x 2 1/4" Thru Bolt & Finish Washer (standard 1 3/4" door)

OPTIONS:

- Barrier Free available in 2 1/2" clearance — use BF prefix when ordering (BF107 x 70B)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed under Mounting Details at www.rockwoodmfg.com

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

PULL:
Ø 3/4"

SIZE:
3 1/2" x 15"

CTC:
8"

PLATE:
70

WEIGHT:
2.4 lbs.

ANSI A156.6:
J405

Experience a safer
and more open world

Rockwood 107 x 70C - 4" x 16" Pull Plate



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws; 1/4"-20 x 2 1/4" Thru Bolt & Finish Washer (standard 1 3/4" door)

OPTIONS:

- Barrier Free available in 2 1/2" clearance — use BF prefix when ordering (BF107 x 70C)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed under Mounting Details at www.rockwoodmfg.com

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

PULL:
Ø 3/4"

SIZE:
4" x 16"

CTC:
8"

PLATE:
70

WEIGHT:
2.5 lbs.

ANSI A156.6:
J405