

The global leader in  
door opening solutions

## Rockwood 11047 - Series 47 Straight Single Bar Set



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors. (See mounting selections at [rockwoodmfg.com](http://rockwoodmfg.com))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., 11047 T3, wood door, 33" CTC, US32D316)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BP11047) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (11047 T3HD)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS
- 313/710
- 314
- 315/711
- Powder Coat

SIZE:  
Ø 1"

CTC:  
Pull 8"

PROJECTION:  
Pull 3"  
Push 2 <sup>3</sup>/<sub>4</sub>"

CLEARANCE:  
Pull 2"  
Push 1 <sup>3</sup>/<sub>4</sub>"

WEIGHT:  
11.5 lbs.

ANSI 156.6:  
J504

The global leader in  
door opening solutions

## Rockwood 111A47 - Series 47 Straight Single Bar Set



### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS
- 313/710
- 314
- 315/711
- Powder Coat

### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors. (See mounting selections at [rockwoodmfg.com](http://rockwoodmfg.com))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., 111A47 T3, wood door, 33" CTC, US32D316)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BP111A47) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (111A47 T3HD)

SIZE:  
Ø 1"

CTC:  
Pull 9"

PROJECTION:  
Pull 3"  
Push 2 <sup>3</sup>/<sub>4</sub>"

CLEARANCE:  
Pull 2"  
Push 1 <sup>3</sup>/<sub>4</sub>"

WEIGHT:  
11.7 lbs.

ANSI 156.6:  
J504

## Rockwood 11147 - Series 47 Straight Single Bar Set



### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS
- 313/710
- 314
- 315/711
- Powder Coat

### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors. (See mounting selections at [rockwoodmfg.com](http://rockwoodmfg.com))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., 11147 T3, wood door, 33" CTC, US32D316)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BP11147) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (11147 T3HD)

#### SIZE:

Ø 1"

#### CTC:

Pull 10"

#### PROJECTION:

Pull 3"

Push 2 3/4"

#### CLEARANCE:

Pull 2"

Push 1 3/4"

#### WEIGHT:

12 lbs.

#### ANSI 156.6:

J504

The global leader in  
door opening solutions

## Rockwood 11247 - Series 47 Straight Single Bar Set



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors. (See mounting selections at [rockwoodmfg.com](http://rockwoodmfg.com))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., 11247 T3, wood door, 33" CTC, US32D316)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BP11247) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (11247 T3HD)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS
- 313/710
- 314
- 315/711
- Powder Coat

SIZE:  
Ø 1"

CTC:  
Pull 12"

PROJECTION:  
Pull 3"  
Push 2 <sup>3</sup>/<sub>4</sub>"

CLEARANCE:  
Pull 2"  
Push 1 <sup>3</sup>/<sub>4</sub>"

WEIGHT:  
12.5 lbs.

ANSI 156.6:  
J504

The global leader in  
door opening solutions

## Rockwood 11847 - Series 47 Straight Single Bar Set



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors. (See mounting selections at [rockwoodmfg.com](http://rockwoodmfg.com))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., 11847 T3, wood door, 33" CTC, US32D316)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BP11847) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (11847 T3HD)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS
- 313/710
- 314
- 315/711
- Powder Coat

SIZE:  
Ø 1"

CTC:  
Pull 18"

PROJECTION:  
Pull 3"  
Push 2 3/4"

CLEARANCE:  
Pull 2"  
Push 1 3/4"

WEIGHT:  
14 lbs.

ANSI 156.6:  
J504