

Experience a safer
and more open world

Rockwood 71RCA - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
3" x 12"

WEIGHT:
0.9 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:

Stainless Steel

FASTENER:

#6 x 5/8" Oval Head Sheet Metal Screws

FEATURES:

Four beveled edges

ORDERING:

- Specify plate number followed by size designation and finish (71RCA US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71RCB - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
3¹/₂" x 12"

WEIGHT:
1.1 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:

Stainless Steel

FASTENER:

#6 x ⁵/₈" Oval Head Sheet Metal Screws

FEATURES:

Four beveled edges

ORDERING:

- Specify plate number followed by size designation and finish (71RCB US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71RCC - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
4" x 16"

WEIGHT:
1.2 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:

Stainless Steel

FASTENER:

#6 x ⁵/₈" Oval Head Sheet Metal Screws

FEATURES:

Four beveled edges

ORDERING:

- Specify plate number followed by size designation and finish (71RCC US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71RCE - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
6" x 16"

WEIGHT:
1.8 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:

Stainless Steel

FASTENER:

#6 x ⁵/₈" Oval Head Sheet Metal Screws

FEATURES:

Four beveled edges

ORDERING:

- Specify plate number followed by size designation and finish (71RCE US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71RCF - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
8" x 16"

WEIGHT:
2.4 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:
Stainless Steel

FASTENER:
#6 x 5/8" Oval Head Sheet Metal Screws

FEATURES:
Four beveled edges

ORDERING:

- Specify plate number followed by size designation and finish (71RCF US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71RCG - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
4" x 20"

WEIGHT:
1.5 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:
Stainless Steel

FASTENER:
#6 x ⁵/₈" Oval Head Sheet Metal Screws

FEATURES:
Four beveled edges

ORDERING:

- Specify plate number followed by size designation and finish (71RCG US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).