

Experience a safer
and more open world

Rockwood 73REA - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x ⁵/₈" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73REA US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316

SIZE:
3" x 12"

WEIGHT:
1.7 lbs.

ANSI A156.6:
J301

Experience a safer
and more open world

Rockwood 73REB - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x ⁵/₈" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73REB US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316

SIZE:
3 1/2" x 15"

WEIGHT:
2.1 lbs.

ANSI A156.6:
J301

Experience a safer
and more open world

Rockwood 73REC - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x ⁵/₈" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73REC US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316

SIZE:
4" x 16"

WEIGHT:
2.5 lbs.

ANSI A156.6:
J301