


The global leader in
door opening solutions

Rockwood RM3206 - NeoTek - Push Bar - Round Ends



Available Finishes:

- US3/605
- US9/611
- US32/629

DIAMETER:
1"

CTC:
up to 36"

PROJECTION:
2 3/4"

Specifications:

MATERIAL:

Brass, Bronze, Stainless Steel

NOTE:

Post location on push bars can be located 1/8" from end for narrow and medium stile doors and 1" from end for flush and wide stile doors


NOTE: If matching pulls to a previous job, please provide original PO or Order #.

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

The global leader in
door opening solutions

Rockwood RM3216 - NeoTek - Push Bar - Round Ends



Available Finishes:

- US3/605
- US9/611
- US32/629

DIAMETER:
1 1/4"

CTC:
up to 36"

PROJECTION:
3"

Specifications:

MATERIAL:

Brass, Bronze, Stainless Steel

NOTE:

Post location on push bars can be located 1/8" from end for narrow and medium stile doors
and 1" from end for flush and wide stile doors


NOTE: If matching pulls to a previous job, please provide original PO or Order #.

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

The global leader in
door opening solutions

Rockwood RM3226 - NeoTek - Push Bar - Round Ends



Available Finishes:

- US3/605
- US9/611
- US32/629

DIAMETER:
1 1/2"

CTC:
up to 36"

PROJECTION:
3 1/4"

Specifications:

MATERIAL:

Brass, Bronze, Stainless Steel

NOTE:

Post location on push bars can be located 1/8" from end for narrow and medium stile doors
and 1" from end for flush and wide stile doors

NOTE: If matching pulls to a previous job, please provide original PO or Order #.